

**TOWNSHIP OF RICHMOND, BERKS COUNTY, PA
BURNING PERMIT APPLICATION**

Office Use Only PERMIT NUMBER _____
--

1-Day Burn: _____ (date)
 Outdoor Boiler (or similar outdoor domestic fuel burning furnace)
 (A separate permit is required for each outdoor boiler)

NAME: _____ BUSINESS NAME: _____
 Home Address: _____ Business Address: _____
 Telephone No.: _____ Telephone No.: _____
 Fax No.: _____ Fax No.: _____

Location at which the burn will take place or outdoor boiler will be installed: _____

Property owner(s) (if different from applicant listed above):

Name: _____ Name: _____
 Address: _____ Address: _____
 Telephone No.: _____ Telephone No.: _____

Please give a complete description of the purpose of the burn and fuel to be burned: _____

The Applicant must sign the following statement:

“I(We), the undersigned Applicant(s) for a () 1-Day Burn Permit or () Outdoor Boiler installation, INTENDING TO BE LEGALLY BOUND HEREBY, state that neither I(we), nor anyone claiming by, through or under me(us), shall make any claim against the Township or against any public service agency, including but not limited to any fire company, for any damage caused as a result of the fire/burning, which is the subject of the application.

I(We) have read and understand the Richmond Township Burning Ordinance and agree to comply with all its terms and provisions.

Further, I(we) hereby agree that in the event of a change to any of the information provided on this Application, I(we) agree to notify the Township within forty-eight (48) hours of such changes.

Signed: _____ Signed: _____
 (Title) (Title)

PRINT NAME: _____ PRINT NAME: _____
 Date: _____ Date: _____

OFFICE USE ONLY	DATE	BY	
Received			Fee Paid
Reviewed			Decision
Permit Issued			Permit No.
Inspected			Result

**BURNING ORDINANCE REQUIRED OPERATIONAL STANDARDS
FOR OUTDOOR BOILERS**

The following standards are required for Outdoor Boilers or similar residential wood, coal or domestic fuel burning furnaces. Please indicate if your Outdoor Boiler conforms to the requirements of the Richmond Township Burning Ordinance.

1. The outdoor boiler meets all applicable regulations and recommendations of the EPA and DEP. The outdoor boiler meets all emission certification requirements unless expressly exempted otherwise.

YES _____ NO _____

2. The outdoor boiler is no closer than 50 feet from any structure on an adjacent property.

YES _____ NO _____

3. The non-catalytic outdoor boiler is certified not to exceed EPA particulate matter emission standards. The catalytic outdoor boiler is certified not to exceed EPA particulate matter emission standards.

YES _____ NO _____

4. The outdoor boiler has a permanent chimney that is at least two (2) feet higher than the roof peak of any residence within fifty (50) feet that is not served by the furnace.

YES _____ NO _____

5. The outdoor boiler has not been altered or modified such that the applicable certification emission tests would be invalidated.

YES _____ NO _____

6. If the outdoor boiler has a chimneystack greater than fifteen (15) feet in height, it is secured against high winds, and is constructed, installed and maintained in such a manner that it does not constitute a safety hazard.

YES _____ NO _____

7. Attached to this Application is a copy of the manufacturers' tag that signifies that it meets the EPA's standards for Phase 1 air emission levels of 0.60 pounds of fine particulates per million BTU heat input and qualifies for the EPA's voluntary program.

YES _____ NO _____